

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

### SECTION 1. IDENTIFICATION

Product name : VIRKON™ TABLETS

Product code : 000000000062132332

Other means of identification : No data available

#### Manufacturer or supplier's details

Company : LANXESS Canada Co.  
Product Safety and Regulatory Affairs  
25 Erb Street  
Elmira, Canada N3B 2J3

Responsible Department : +1800LANXESS

Emergency telephone : In an emergency, CANUTEC may be called collect at:  
613.996.6666 (24 hrs)  
\*666 cellular (Canada only)

#### Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants  
DIN: 2253917

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

|| Skin irritation : Category 2

|| Serious eye damage : Category 1

#### GHS label elements

|| Hazard pictograms :

|| Signal Word : Danger

|| Hazard Statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.

|| Precautionary Statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version  
3.0

Revision Date:  
07/16/2025

SDS Number:  
203000010132

Date of last issue: 05/07/2024  
Country / Language: CA / EN

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8	>= 30 - < 60
Butanedioic acid, 2-hydroxy- sulphamic acid	6915-15-7 5329-14-6	>= 10 - < 30 >= 1 - < 5
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	>= 1 - < 5
potassium hydrogensulphate (Impurity)	7646-93-7	>= 1 - < 5
dipotassium disulphate (Impurity)	7790-62-7	>= 1 - < 5
dipotassium peroxodisulphate (Impurity)	7727-21-1	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.  
Remove contaminated clothing and shoes.  
Continue to rinse for at least 20 minutes.  
Get medical attention if symptoms occur.  
Wash contaminated clothing before reuse.

In case of eye contact : Get medical attention immediately.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.

Remove contact lenses, if present and easy to do. Continue rinsing.

Chemical burns must be treated promptly by a physician.

If swallowed : Rinse mouth with water.  
Do not induce vomiting unless directed to do by medical personnel.  
Get medical attention if symptoms occur.

### Most important symptoms and effects, both acute and delayed

Effects : Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.  
Skin: Causes irritation with symptoms of reddening, itching, and swelling.

Effects : Causes skin irritation.  
Causes serious eye damage.

Notes to physician : Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing media : Do not use water jet.  
Carbon dioxide (CO<sub>2</sub>)

Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.  
Water runoff from fire fighting may be corrosive.

Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Sulfur oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.  
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

for fire-fighters      essary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Put on appropriate personal protection equipment.  
Do not touch or walk through spilled material.  
Evacuate unnecessary personnel.  
Keep unnecessary and unprotected personnel from entering.  
Provide adequate ventilation.  
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Move containers from spill area.  
Dispose of wastes in an approved waste disposal facility.  
Avoid dust formation.  
Do not dry sweep.  
Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container.  
Do not allow spilled material or wash water to enter sewers, surface waters, or groundwater systems.  
Contaminated absorbent material may pose the same hazard as the spilled product.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
Avoid inhalation, ingestion and contact with skin and eyes.  
Use only with adequate ventilation.

Conditions for safe storage : Store in accordance with local regulations.  
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
Keep containers sealed until ready for use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
Do not store in unlabeled containers.  
Use appropriate container to avoid environmental contamination.  
Empty containers retain residue and can be dangerous.  
Do not reuse container.

Materials to avoid : Keep away from alkalis.

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m <sup>3</sup> (Persulphate)	ACGIH

Engineering measures : If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

### Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
NIOSH approved, air-purifying organic vapor respirator.

#### Hand protection

Material : Butyl rubber - IIR  
Wearing time : < 60 min

Remarks : Permeation resistant gloves.

#### Eye protection

: Tightly fitting safety goggles  
If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin and body protection

: Wear suitable protective clothing.  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear work clothing including long pants and long-sleeve shirts.

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

Appropriate techniques should be used to remove potentially contaminated clothing.  
Wash contaminated clothing before reusing.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	tablet
Physical state	:	solid
Color	:	pink
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	2.6 - 3.2 Concentration: 10 %
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Self-ignition	:	No data available
Burning number	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	65 g/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

---

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Method: Regulation (EC) No. 440/2008, Annex, A.17

Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Exposure to moisture.

Incompatible materials : Strong bases  
Combustible material  
Acids  
Oxidizing agents  
brass  
Copper  
Halogenated compounds  
Cyanides  
Heavy metal salts

Hazardous decomposition products : Oxygen  
Chlorine  
Sulfur oxides  
Hypochlorites

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

#### Components:

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

##### **Butanedioic acid, 2-hydroxy-:**

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg  
Method: OECD Test Guideline 401  
GLP: No

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: No

### **sulphamic acid:**

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg  
Method: OECD Test Guideline 401  
GLP: Yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: Yes  
Assessment: The substance or mixture has no acute dermal toxicity

### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Acute oral toxicity : LD50 (Rat, male and female): 1,080 mg/kg  
Method: OECD Test Guideline 401  
GLP: No

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: Yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Dosage caused no mortality

### **potassium hydrogensulphate:**

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

### **dipotassium disulphate:**

Acute oral toxicity : LD50 (Rat, male): 2,140 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Test results on an analogous substance/product.

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.  
Assessment: The component/mixture is toxic after short term inhalation.

### **dipotassium peroxodisulphate:**

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

---

Test atmosphere: dust/mist  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Causes burns.

##### **Butanedioic acid, 2-hydroxy-:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **sulphamic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : No

##### **potassium hydrogensulphate:**

Assessment : Causes burns.

##### **dipotassium disulphate:**

Assessment : Causes severe burns.

##### **dipotassium peroxodisulphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

##### **Butanedioic acid, 2-hydroxy-:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : OECD Test Guideline 405

##### **sulphamic acid:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : OECD Test Guideline 405

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
GLP : Yes

##### **dipotassium disulphate:**

Assessment : Risk of serious damage to eyes.

##### **dipotassium peroxodisulphate:**

Result : Irritating to eyes.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

#### **Product:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitization on laboratory animals.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

Routes of exposure : Inhalation  
Species : Mammal - species unspecified  
Method : Expert judgment  
Result : Does not cause respiratory sensitization.

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

#### **Butanedioic acid, 2-hydroxy-:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitization on laboratory animals.  
GLP : Yes

#### **sulphamic acid:**

Result : Did not cause sensitization on laboratory animals.

#### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitization on laboratory animals.  
GLP : Yes

#### **dipotassium peroxodisulphate:**

Routes of exposure : Inhalation  
Species : Mammal - species unspecified  
Result : May cause sensitization by inhalation.

Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitization by skin contact.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Genotoxicity in vitro : Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version  
3.0

Revision Date:  
07/16/2025

SDS Number:  
203000010132

Date of last issue: 05/07/2024  
Country / Language: CA / EN

Method: OECD Test Guideline 476  
Result: positive  
GLP: Yes

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: Yes

Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: Yes

Genotoxicity in vivo : Species: Mammalian-Animal  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

### Butanedioic acid, 2-hydroxy-:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: Yes

Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: Yes

Test Type: Chromosome aberration test in vitro

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

---

Test system: Chinese hamster ovary cells  
Metabolic activation: without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: Yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: Yes

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: Yes

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse (male)  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative  
GLP: No

Test Type: dominant lethal test  
Species: Mouse (male)  
Application Route: Oral  
Result: negative  
GLP: No

### **dipotassium peroxodisulphate:**

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### **Carcinogenicity**

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Effects on fetal development : Remarks: No teratogenic or fetotoxic effects were found at all dose levels tested.

#### **Butanedioic acid, 2-hydroxy-:**

Effects on fetal development : Remarks: No known significant effects or critical hazards.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0 Revision Date: 07/16/2025 SDS Number: 203000010132 Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Effects on fertility : Test Type: Three-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0 - 14 - 70 milligram per kilogram  
General Toxicity Parent: NOAEL: 350 mg/kg body weight  
General Toxicity F1: NOAEL: 350 mg/kg body weight  
General Toxicity F2: NOAEL: 350 mg/kg body weight  
Fertility: NOAEL: 350 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.  
GLP: No  
Remarks: Test results on an analogous substance/product.

Effects on fetal development : Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Teratogenicity: NOAEL: 300 mg/kg body weight  
Result: No teratogenic effects.  
GLP: No  
Remarks: Test results on an analogous substance/product.

### **STOT-single exposure**

Not classified due to lack of data.

### **Components:**

#### **potassium hydrogensulphate:**

Assessment : May cause respiratory irritation.

#### **dipotassium peroxodisulphate:**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Not classified due to lack of data.

### **Repeated dose toxicity**

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species : Rat, male and female  
LOAEL : > 1,000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Number of exposures : 7 days/week  
Method : OECD Test Guideline 407  
Remarks : Subacute toxicity

Species : Rat, male and female  
LOAEL : 600 mg/kg  
Application Route : Oral  
Exposure time : 90 d

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

---

Number of exposures : 7 days/week  
Method : OECD Test Guideline 408  
Remarks : Subchronic toxicity

### Butanedioic acid, 2-hydroxy-:

Remarks : No known significant effects or critical hazards.

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 36 w  
Number of exposures : daily  
GLP : No  
Remarks : Subchronic toxicity

### Aspiration toxicity

Not classified due to lack of data.

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 24.6 mg/l  
Exposure time: 96 h  
Method: Regulation (EC) No. 440/2008, Annex, C.1  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Fresh water

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Fresh water

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

---

Method: OECD Test Guideline 203  
GLP: Yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: Yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

### **Butanedioic acid, 2-hydroxy-:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: Yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: Yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

NOEC (algae): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

### **sulphamic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0 Revision Date: 07/16/2025 SDS Number: 203000010132 Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

GLP: No  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: Yes  
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: Yes  
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 60 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 19 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 200 mg/l  
End point: Respiration inhibition  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: Yes  
Remarks: Fresh water

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.88 mg/l  
Exposure time: 96 h  
Analytical monitoring: Yes  
Method: OECD Test Guideline 203  
GLP: No  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Analytical monitoring: Yes  
Method: OECD Test Guideline 202  
GLP: Yes  
Remarks: Fresh water

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 235 mg/l Exposure time: 72 h Analytical monitoring: No Method: OECD Test Guideline 201 GLP: No Remarks: Fresh water
	EC10 (Pseudokirchneriella subcapitata (green algae)): 13.1 mg/l Exposure time: 72 h Analytical monitoring: No Method: OECD Test Guideline 201 GLP: No Remarks: Fresh water
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l Exposure time: 72 d Analytical monitoring: Yes Method: OECD Test Guideline 210 GLP: No Remarks: Fresh water
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Analytical monitoring: Yes Method: OECD Test Guideline 211 GLP: No Remarks: Fresh water

### **dipotassium disulphate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 680 mg/l Exposure time: 96 h Remarks: Fresh water
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 720 mg/l Exposure time: 48 h Remarks: Fresh water
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 1,492 mg/l Exposure time: 96 h Remarks: Fresh water
	EC10 (Pseudokirchneriella subcapitata (microalgae)): 656 mg/l Exposure time: 96 h Remarks: Fresh water
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 595 mg/l Exposure time: 7 Days Remarks: Fresh water

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0      Revision Date: 07/16/2025      SDS Number: 203000010132      Date of last issue: 05/07/2024  
Country / Language: CA / EN

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 790 mg/l  
Exposure time: 7 Days  
Remarks: Fresh water

### **dipotassium peroxodisulphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### **Persistence and degradability**

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Biodegradability : Result: Expert judgement: not chronically bioavailable in the aquatic environment  
Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Butanedioic acid, 2-hydroxy-:**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 67.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: Yes

##### **sulphamic acid:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: Yes

##### **dipotassium disulphate:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version 3.0	Revision Date: 07/16/2025	SDS Number: 203000010132	Date of last issue: 05/07/2024 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

### **dipotassium peroxodisulphate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

### **Bioaccumulative potential**

#### **Components:**

##### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Partition coefficient: n-octanol/water : log Pow: < 0.3  
Method: OECD Test Guideline 117

##### **Butanedioic acid, 2-hydroxy-:**

Partition coefficient: n-octanol/water : log Pow: -1.26

##### **sulphamic acid:**

Partition coefficient: n-octanol/water : log Pow: -4.34

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:**

Partition coefficient: n-octanol/water : log Pow: 1.4 (23 °C)  
Method: OECD Test Guideline 123

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The generation of waste should be avoided or minimized wherever possible.  
This material and its container must be disposed of in a safe way.  
Empty containers retain product residue; observe all precautions for product.  
Avoid dispersal of spilled material and runoff and contact with

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

Version  
3.0

Revision Date:  
07/16/2025

SDS Number:  
203000010132

Date of last issue: 05/07/2024  
Country / Language: CA / EN

soil, waterways, drains and sewers.  
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

Not regulated as a dangerous good

### Hazard and Handling Notes

Not dangerous cargo

Risk of serious damage to eyes

Irritating to skin.

Keep dry.

Keep separated from foodstuffs

---

## SECTION 15. REGULATORY INFORMATION

DSL

: All components of this product are on the Canadian DSL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations

**LANXESS**  
Energizing Chemistry

## VIRKON™ TABLETS

Version  
3.0


Revision Date:  
07/16/2025

SDS Number:  
203000010132


Date of last issue: 05/07/2024  
Country / Language: CA / EN

### Further information

#### NFPA:



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "3" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

---

## SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## VIRKON™ TABLETS

---

Version	Revision Date:	SDS Number:	Date of last issue: 05/07/2024
3.0	07/16/2025	203000010132	Country / Language: CA / EN

---

Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/16/2025  
Date format : mm/dd/yyyy

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

CA / EN